EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	120	(simultaneous$3 near2 (program$6 or transfer$4)) near3 (flash or EEPROM or nonvolatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:42
L2	24708437	@ad<"20030926"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:50
L3	1	(Lin near Yi-wen).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:55
L4	7	(Zhang near2 Changsong).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:55
L5	87	(Jefferson near2 David).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:55
L6	2	(Joyce near2 Juju).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:56
L7	2	(Mansur near2 Dan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:56
L8	91	3 or 4 or 5 or 6 or 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:56
L9	0	3 and 4 and 5 and 6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 15:57

L10	0	transfer* same parallel* same external and integrat*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:01
L11	0	transfer* same parallel* same external same integrat*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:00
L12	0	transfer* same parallel* same sequent*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:01
L13	1933	transfer$4 same parallel$4 same sequent$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:01
L14	669	transfer$4 same parallel$5 same external same integrat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:02
L15	565	2 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:02
L16	48	transfer$4 same parallel$5 same external same integrat$4 same sequent$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:03
L17	43	2 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:03
L18	273	(simultaneous$3 near2 (program$6 or writ$4 or stor$4 or read$4)) near2 (flash or EEPROM or nonvolatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:05
L19	0	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:05

L20	30375	"711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:05
L21	23	17 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 16:05

IEEE *Xplore* ℗
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Wed, 16 Aug 2006, 4:21:06 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   ((transfer* and (simultaneous* or parallel*))<in>metadata)

#2   ((EEPROM or EPROM or flash or PROM) and (program* or writ*) and (parallel or simultaneous*)<IN>metadata)

#3   ((sequential* and (load* or writ* or read*))<IN>metadata)

#4   ((IC or module or chip) and (transfer* or writ*) and (parallel* or simultaneous*)<IN>metadata)

#5   (((transfer* and (simultaneous* or parallel*))<in>metadata)) <AND> (((EEPROM or EPROM or flash or PROM) and (program* or writ*) and (parallel or simultaneous*)<IN>metadata))

#6   (((sequential* and (load* or writ* or read*))<IN>metadata)) <AND> (((IC or module or chip) and (transfer* or writ*) and (parallel* or simultaneous*)<IN>metadata))

#7   ((((transfer* and (simultaneous* or parallel*))<in>metadata)) <AND> (((EEPROM or EPROM or flash or PROM) and (program* or writ*) and (parallel or simultaneous*)<IN>metadata))) <AND> ((((sequential* and (load* or writ* or read*))<IN>metadata)) <AND> (((IC or module or chip) and (transfer* or writ*) and (parallel* or simultaneous*)<IN>metadata)))

Indexed by
☶ Inspec℗

PORTAL

USPTO

Search: ⦿ The ACM Digital Library   ⦾ The Guide

+EEPROM, +EPROM, +flash, +transfer*, +program*, +simulta   **SEARCH**

The ACM Digital Library

*⃪ Feedback Report a problem Satisfaction survey

Terms used
EEPROM EPROM flash transfer program simultaneous parallel sequential

Found **1** of **184,245**

Sort results by |relevance ▾| ❧ Save results to a Binder   Try an Advanced Search
Display results |expanded form ▾| [?] Search Tips   Try this search in The ACM Guide
                                      ☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ◻ ▣ ▣ ■

1   Pen computing: a technology overview and a vision   ▬
◈ André Meyer
   July 1995   **ACM SIGCHI Bulletin**, Volume 27 Issue 3
   Publisher: ACM Press
   Full text available: 🗎 pdf(5.14 MB)   Additional Information: full citation, abstract, citings, index terms

   This work gives an overview of a new technology that is attracting growing interest in
   public as well as in the computer industry itself. The visible difference from other
   technologies is in the use of a pen or pencil as the primary means of interaction between a
   user and a machine, picking up the familiar pen and paper interface metaphor. From this
   follows a set of consequences that will be analyzed and put into context with other
   emerging technologies and visions.Starting with a short historic ...

Results 1 - 1 of 1

Useful downloads: 🅰 Adobe Acrobat   ⓠ QuickTime   🎬 Windows Media Player   ▸ Real Player

Pen computing: a technology overview and a vision

Full text   Pdf (5.14 MB)

Author   André Meyer

Publisher   ACM Press   New York, NY, USA

Additional Information: abstract   citings   index terms   collaborative colleagues   peer to peer

Tools and Actions: Find similar Articles   Review this Article
Save this Article to a Binder   Display Formats: BibTex   EndNote   ACM Ref

DOI Bookmark: Use this link to bookmark this Article: http://doi.acm.org/10.1145/221296.221308
What is a DOI?

↑ ABSTRACT

This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a machine, picking up the familiar pen and paper interface metaphor. From this follows a set of consequences that will be analyzed and put into context with other emerging technologies and visions.Starting with a short historical background and the technical advances that begin making Pen Computing a reality, the new paradigms created by Pen Computing will be explained and discussed. Handwriting recognition, mobility and global information access are other central topics. This is followed by a categorization and an overview of current and future systems using pens as their primary user interface component.

↑ CITINGS *11*

Susan L. Miertschin , Cheryl L. Willis, Mobile computing in the freshman computer literacy course what impact?, Proceedings of the 5th conference on Information technology education, October 28-30, 2004, Salt Lake City, UT, USA

Allan Christian Long, Jr., Improving gestures and interaction techniques for pen-based user interfaces, CHI 98 conference summary on Human factors in computing systems, p.58-59, April 18-23, 1998, Los Angeles, California, United States

William Thimbleby, A novel pen-based calculator and its evaluation, Proceedings of the third Nordic conference on Human-computer interaction, p.445-448, October 23-27, 2004, Tampere, Finland

Marcellin Buisson , Isabelle Sallagoïty , Sylvie Athènes , Christophe Mertz, From human movement

analysis to interface design: applications to writing and gesture based user interface, Proceedings of the 15th French-speaking conference on human-computer interaction on 15eme Conference Francophone sur l'Interaction Homme-Machine, p.224-227, November 25-28, 2003, Caen, France

Stéphane Chatty , Patrick Lecoanet, Pen computing for air traffic control, Proceedings of the SIGCHI conference on Human factors in computing systems: common ground, p.87-94, April 13-18, 1996, Vancouver, British Columbia, Canada

Ivan Poupyrev , Makoto Okabe , Shigeaki Maruyama, Haptic feedback for pen computing: directions and strategies, CHI '04 extended abstracts on Human factors in computing systems, April 24-29, 2004, Vienna, Austria

Allan Christian Long, Jr. , James A. Landay , Lawrence A. Rowe, Implications for a gesture design tool, Proceedings of the SIGCHI conference on Human factors in computing systems: the CHI is the limit, p.40-47, May 15-20, 1999, Pittsburgh, Pennsylvania, United States

A. Chris Long , James A. Landay , Lawrence A. Rowe, Helping designers create recognition-enabled interfaces, Multimodal interface for human-machine communication, World Scientific Publishing Co., Inc., River Edge, NJ, 2002

A. Chris Long, Jr. , James A. Landay , Lawrence A. Rowe , Joseph Michiels, Visual similarity of pen gestures, Proceedings of the SIGCHI conference on Human factors in computing systems, p.360-367, April 01-06, 2000, The Hague, The Netherlands

Won-Sung Sohn , Jae-Kyung Kim , Seung-Kyu Ko , Soon-Bum Lim , Yoon-Chul Choy, Context-based free-form annotation in XML documents, International Journal of Human-Computer Studies, v.59 n.3, p.257-285, September 2003

Réjean Plamondon , Sargur N. Srihari, On-Line and Off-Line Handwriting Recognition: A Comprehensive Survey, IEEE Transactions on Pattern Analysis and Machine Intelligence, v.22 n.1, p.63-84, January 2000

↑ **INDEX TERMS**

Primary Classification:
  H. Information Systems
    ↳ **H.5** INFORMATION INTERFACES AND PRESENTATION (I.7)
      ↳ **H.5.2** User Interfaces (D.2.2, H.1.2, I.3.6)
        ↳ **Subjects:** Input devices and strategies (e.g., mouse, touchscreen)

Additional Classification:
  I. Computing Methodologies
  ↳ **I.5** PATTERN RECOGNITION

General Terms:
Design, Theory

↑ **Collaborative Colleagues:**
  André Meyer: Martin Haker
           Thomas Martinetz
           Daniel Polani

↑ **Peer to Peer - Readers of this Article have also read:**

- <u>Data structures for quadtree approximation and compression</u> **Communications of the ACM** 28, 9
  Hanan Samet

- <u>A hierarchical single-key-lock access control using the Chinese remainder theorem</u> **Proceedings of the 1992 ACM/SIGAPP Symposium on Applied computing**
  Kim S. Lee , Huizhu Lu , D. D. Fisher

- <u>The GemStone object database management system</u> **Communications of the ACM** 34, 10
  Paul Butterworth , Allen Otis , Jacob Stein

- <u>Putting innovation to work: adoption strategies for multimedia communication systems</u>
  Communications of the ACM 34, 12
  Ellen Francik , Susan Ehrlich Rudman , Donna Cooper , Stephen Levine

- <u>An intelligent component database for behavioral synthesis</u> **Proceedings of the 27th ACM/IEEE conference on Design automation**
  Gwo-Dong Chen , Daniel D. Gajski